

































































Geberit Vertriebs GmbH & Co KG  
 Geberitstr. 1, 3140 Pottenbrunn/St.Pölten  
 Tel.: 02742/401-0, www.geberit.at







Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl
	<b>Mepla Rohr Stange schwarz</b>			<b>Mepla Winkel 90 °</b>			<b>Mepla T Stück °</b>	
601.100	16	_____	611.271	16 MS	_____	611.310	16 MS	_____
602.100	20	_____	612.271	20 MS	_____	612.310	20 MS	_____
603.100	26	_____	613.271	26 MS	_____	613.310	26 MS	_____
604.100	32	_____	621.271	16 PVDF	_____	621.310	16 PVDF	_____
605.100	40	_____	622.271	20 PVDF	_____	622.310	20 PVDF	_____
606.100	50	_____	623.271	26 PVDF	_____	623.310	26 PVDF	_____
			624.271	32 PVDF	_____	624.310	32 PVDF	_____
			625.271	40 PVDF	_____	625.310	40 PVDF	_____
			626.271	50 PVDF	_____	626.310	50 PVDF	_____
	<b>Mepla Rolle schwarz</b>			<b>Mepla Kupplung</b>		<b>Mepla T Stück reduziert°</b>		
601.130	Rolle 16	_____	611.505	16 MS	_____	612.314	20-16-16 MS	_____
602.130	Rolle 20	_____	612.505	20 MS	_____	612.311	20-16-20 MS	_____
603.110	Rolle 26	_____	613.505	26 MS	_____	612.312	20-20-16 MS	_____
601.131	16 m. SR	_____	621.505	16 PVDF	_____	613.311	26-16-26 MS	_____
602.131	20 m. SR	_____	622.505	20 PVDF	_____	613.315	26-20-26 MS	_____
601.132	16/ 6 isoliert	_____	623.505	26 PVDF	_____	613.316	26-26-20 MS	_____
601.135	16/10 isoliert	_____	624.505	32 PVDF	_____	613.317	26-20-20 MS	_____
602.132	20/6 isoliert	_____	625.505	40 PVDF	_____	614.311	32-16-32 MS	_____
602.135	20/10 isoliert	_____	626.505	50 PVDF	_____	614.314	32-20-26 MS	_____
603.132	26/6 isoliert	_____				614.316	32-26-26 MS	_____
603.135	26/10 isoliert	_____		<b>Mepla Reduktion</b>		614.317	32-20-32 MS	_____
601.136	16/13 isoliert	_____	612.650	20-16 MS	_____	614.319	32-26-32 MS	_____
602.136	20/13 isoliert	_____	613.650	26-16 MS	_____	622.313	16-20-16 PVDF	_____
603.136	26/13 isoliert	_____	613.651	26-20 MS	_____	622.314	16-16-20 PVDF	_____
			614.651	32-20 MS	_____	622.311	20-16-20 PVDF	_____
	<b>Mepla Therm weiß</b>		614.652	32-26 MS	_____	622.312	20-20-16 PVDF	_____
601.230	Rolle 16	_____	622.650	20-16 PVDF	_____	623.318	20-26-20 PVDF	_____
602.230	Rolle 20	_____	623.650	26-16 PVDF	_____	623.311	26-16-26 PVDF	_____
603.230	Rolle 26	_____	623.651	26-20 PVDF	_____	623.317	26-20-20 PVDF	_____
601.231	16 m. SR	_____	624.651	32-20 PVDF	_____	623.315	26-20-26 PVDF	_____
602.231	20 m. SR	_____	624.652	32-26 PVDF	_____	623.316	26-26-20 PVDF	_____
601.232	16/6 isoliert	_____	625.651	40-20 PVDF	_____	624.311	32-16-32 PVDF	_____
601.235	16/10 isoliert	_____	625.652	40-26 PVDF	_____	624.314	32-20-26 PVDF	_____
602.231	20/6 isoliert	_____	625.653	40-32 PVDF	_____	624.316	32-26-26 PVDF	_____
602.235	20/10 isoliert	_____	626.652	50-32 PVDF	_____	624.317	32-20-32 PVDF	_____
603.232	26/6 isoliert	_____	626.653	50-40 PVDF	_____	624.319	32-26-32 PVDF	_____
603.235	26/10 isoliert	_____						

weitere Dimensionen siehe nächst Spalte

Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl										
<b>Mepla T Stück reduziert</b>			<b>Lösbare Verschr. AG</b>			<b>603.258</b> 26-1"												
625.317	40-20-40 PVDF					604.258	32-1"											
625.319	40-26-40 PVDF		601.590	16-1/2"		605.259	40-5/4"											
625.321	40-32-40 PVDF		602.590	20-1/2"		606.256	50-6/4"											
626.317	50-26-50 PVDF		602.591	20-3/4"		 <b>Mepla Winkel 45°</b>												
626.319	50-32-50 PVDF		603.590	26-3/4"														
626.320	50-40-40 PVDF		604.590	32-1"														
626.321	50-40-50 PVDF		604.591	32-5/4"														
 <b>Mepla Übergang AG</b>			605.590	40-5/4"					613.245	26 MS								
			601.535	16-1/2"					605.591	40-6/4"	623.245	26 PVDF						
			601.536	16-3/4"					606.590	50-6/4"	624.245	32 PVDF						
			602.535	20-1/2"		606.591	50-2"	625.245	40 PVDF									
			602.536	20-3/4"		<b>Lösbare Verschr. IG</b>			626.245	50 PVDF								
			603.535	26-1/2"					601.595	16-1/2"	 <b>MasterFix Kupplung PVDF</b>							
			603.536	26-3/4"					602.595	20-1/2"				621.451	16/MF20			
603.537	26-1"		603.595	26-3/4"	622.451				20/MF20									
604.537	32-1"		604.595	32-1"	 <b>Mepla Winkel 90° mit MasterFix PVDF</b>													
604.538	32-5/4"		604.596	32-5/4"					621.452	16								
605.537	40-1"		605.595	40-5/4"					622.452	20								
605.538	40-5/4"		605.596	40-6/4"				 <b>Mepla Winkel T-Stück PVDF mit MasterFix PVDF</b>										
605.539	40-6/4"		606.595	50-6/4"							621.453	16/MF20/16						
606.537	50-6/4"		606.596	50-2"							622.453	20/MF20/20						
606.540	50-2"		 <b>Übergangswinkel AG</b>								622.455	20/MF20/16						
 <b>Mepla Übergang IG</b>						601.252	16-1/2"				 <b>Mepla Winkel T-Stück PVDF mit MasterFix Rg</b>							
						601.555	16-1/2"							602.252	20-1/2"	623.451	26/MF20/20	
						601.556	16-3/4"							601.253	16-3/4"	623.452	26/MF20/26	
						602.555	20-1/2"	602.253	20-3/4"	 <b>Mepla T-Stück PVDF mit MasterFix PVDF</b>								
						602.556	20-3/4"	603.253	26-3/4"					621.454	16/16/MF20			
						603.556	26-3/4"	603.254	26-1"					622.454	20/20/MF20			
			603.557	26-1"	604.254	32-1"	 <b>Mepla Armaturenanschl.</b>											
604.557	32-1"	605.255	40-5/4"	601.293	16-1/2" kurz													
604.558	32-5/4"	 <b>Übergangswinkel IG</b>			602.293	20-1/2" kurz												
605.557	40-1"				601.256	16-1/2"							602.294	20-3/4" kurz				
605.558	40-5/4"				602.256	20-1/2"				603.294	26-3/4" kurz							
605.559	40-6/4"				601.257	16-3/4"				601.296	16-1/2" lang							
606.559	50-6/4"				602.257	20-3/4"				602.296	20-1/2" lang							
606.560	50-2"				603.257	26-3/4"	602.289	20-1/2" ex.kurz										
					weitere Dimensionen siehe nächste Spalte													

Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl
	<b>Durchgangsarmaturen-Anschluss</b>			<b>Abdichtscheibe zu Anschlüssen</b>			<b>Pressnippel mit Überwurfmutter flachd.</b>	
601.273	16-1/2"-16		601.812			603.584	26-1"	
602.274	16-1/2"-20					603.587	26-2"	
602.275	20-1/2"-16			<b>Einzel-Armaturenanschluss-Set, gedämmt</b>		604.583	32-3/4"	
602.273	20-1/2"-20		601.785	16 1/2"		604.586	32-5/4"	
603.274	20-1/2"-26		602.785	20 1/2"		604.584	32-1"	
603.275	26-1/2"-20			<b>Einzel Armaturenanschluss Mepla Fix</b>		604.585	32-6/4"	
603.273	26-1/2"-26		632.851	20 1/2"		605.589	40-5/4"	
	<b>Armaturenanschluss-Set Universal lang</b>			<b>Armaturenanschluss-Set Mepla Fix gedämmt 15,3cm</b>		605.585	40-6/4"	
465.034	20-1/2"		632.855			605.581	40-2"	
	<b>Universal-Armaturenanschluss gerade</b>			<b>Montageplatte doppelt</b>		606.585	50-6/4"	
602.285	57 mm/ 1/2"		601.732	7.65 u 15.3 cm		606.580	50-1 3/4"	
602.287	73 mm/ 1/2"		601.731	10 u 12 cm		606.581	50-2"	
602.297	73 mm/ 3/4"			<b>Montageplatte einfach</b>				
	<b>Universal-Armaturen-anchluss gerade Fix</b>						<b>Mepla T-Stück mit IG, Rg</b>	
602.283	1/2" /1/2" Fix					601.360	16-1/2"-16	
	<b>Schalldämm-Set Mepla, kurz</b>					602.360	20-1/2"-20	
601.801						603.360	26-1/2"-26	
	<b>Dämmunterlage zu Mepla Armaturenanschluss</b>			<b>Montageplatte doppelt</b>		603.362	26-3/4"-26	
601.802			601.737	7.65 u 15.3 cm		604.360	32-1/2"-32	
	<b>Schalldämm-Set Mepla, Doppel Armaturenanschl.</b>		601.738	10 u 12 cm		604.362	32-3/4"-32	
601.805				<b>Montageplatte einzeln</b>		604.363	32-1"-32	
	<b>Armaturenanschlusset Standard gedämmt 15,3cm</b>		601.736			605.360	40-1/2"-40	
601.781	16 1/2"			<b>Pressnippel mit Überwurfmutter flachdichtend, Rg, Ms vern.</b>		605.362	40-3/4"-40	
602.781	20 1/2"		611.582	16-1/2"vern.		605.363	40-1"-40	
	<b>Armaturenanschlusset Standard 15,3cm</b>		601.583	16-3/4"		605.364	40-5/4"-40	
602.780	20 1/2"		601.584	16-1"		606.361	50-1/2"-50	
	<b>Speicheranschluss-Set gedämmt 10cm</b>		602.582	20-1/2"		606.362	50-3/4"-50	
602.782	20 1/2"		612.582	20-1/2"vern.		606.363	50-1"-50	
	<b>Armaturenanschluss-Set, komplett, gedämmt 15,3cm</b>		602.583	20-3/4"		606.360	50-6/4"-50	
602.783	20 1/2"		602.584	20-1"				
	<b>Armaturenanschluss-Set Leichtbau, gedämmt 15,3cm</b>		603.582	26-1/2"			<b>Abpresstopfen</b>	
602.784	20 1/2"		603.583	26-3/4"		601.485	16-1/2"	
			613.583	26-3/4"vern.		602.485	20-1/2"	
			603.584	26-1"		603.485	26-1/2"	
			603.587	26-2"		604.485	32-1/2"	
						605.485	40-1/2"	
						606.485	50-1/2"	

Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl
	<b>Mepla Stopfen</b>			<b>Mepla Schrägsitzventil</b>			<b>Direktverschraubung für Heizkörperventil</b>	
621.000	16					641.513	Danfoss 16-1/2"	
622.000	20					641.514	Herz 16 - M22	
623.000	26					641.516	Herz 16-1/2"	
	<b>Mepla Verteiler</b>		602.032	20		641.515	Heimeier 16-1/2"	
613.422	1"-3/4" 2fach		603.032	26			<b>Mepla Kreuzungsfitting mit Dämmbox für Heizung</b>	
613.423	1"-3/4" 3 fach		604.032	32				
	<b>Verteilerabgang gerade zu Eurokonus 3/4"</b>		605.032	40		611.319	16-16-16	
611.623	Mepla 16		606.032	50		612.316	20-16-16	
612.623	Mepla 20		241.576	Entleerventil 1/4"		612.315	20-16-20	
611.623.22.5	vernickelt 16			<b>Mepla UP Kugelhahn</b>		612.319	20-20-20	
612.623.22.5	vernickelt 20					613.314	26-16-26	
	<b>Kappe/Stopfen zu Verteiler</b>		611.021	16 Rosette		613.312	26-16-20	
613.481	Kappe 1"		612.021	20 Rosette		613.313	26-20-26	
613.480	Stopfen 1"		613.021	26 Rosette			<b>HK Anschlussbox TypC</b>	
	<b>Rohrschelleneinlage</b>		611.011	16 Griff		611.260	16	
603.702	26		612.011	20 Griff		612.260	20	
604.702	32		613.011	26 Griff			<b>HK Anschlussbox TypT</b>	
605.702	40			<b>Dichmanschette</b>		612.265	20-16-20	
606.702	50		601.811	16			<b>HK Anschlussbox Typ L inkl. Befestigungschiene</b>	
	<b>Mepla Aufputz Kugelhahn, Ms</b>		602.811	20		611.263	16	
611.061	16 MS		603.811	26			<b>Rohrbogen inkl. Euronormverschraubung u. Dämmbox</b>	
612.061	20 MS			<b>Dichtbandage</b>		611.250	16/30 cm	
613.061	26 MS		601.813			612.250	20/30 cm	
614.061	32 MS		601.815	5cm		611.251	16/100 cm	
615.061	40 MS			<b>Rohranschlussmuffe EURONORM, vernickelt</b>		612.251	20/100 cm	
616.061	50 MS		641.534	16-3/4"			<b>Metallrohr T inkl. Euronormverschraubung u. Dämmbox</b>	
	<b>Mepla Kugelhahn Rg mit Betätigungshebel</b>		642.534	20-3/4"		611.360	16	
601.020	16			<b>Übergangsnippel, vernickelt</b>		612.362	20	
602.020	20		641.512	AG 1/2"x3/4"			<b>Mepla Sockelleisten-anchluss-Set</b>	
603.020	26		641.533	AG 3/4"x3/4"		611.361	16	
604.020	32					612.361	20	
605.020	40							
606.020	50							

Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl	Art.-Nr.	Dim	Anzahl	
 <b>Sockelleisten Endstück</b> 611.363 611.364			 <b>Mepla Übergang auf ES, RG</b> 601.508 16/15 602.507 20/15 602.508 20/18 602.509 20/22 603.508 26/22 604.508 32/28 605.508 40/35 606.508 50/42 607.508 63/54						
 <b>Abpressschlaufe</b> 611.369									
 <b>Mepla Passbogen zu Sockelleisten</b> 611.601									
 <b>Mepla Absperrpassbogen zu Sockelleisten</b> 611.603									
 <b>Mepla Übergang auf Edelstahl ES für Sonderwasser, ES</b> 601.510 16/15 602.510 20/18 602.511 20/22 603.510 26/22 604.510 32/28 605.510 40/35 606.510 50/42									



|