




































FlowFit Sanitär Sortiment

























Geberit Vertriebs GmbH & Co KG
 Geberitstr. 1, 3140 Pottenbrunn/St.Pölten
 Tel.: 02742/401-0
 www.geberit.at

Firma:

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	SML Systemrohre, silber, in Stangen zu 5 m			FlowFit Bogen 90°, PPSU			FlowFit Langkupplungen, SiBr	
619.020	d16		620.070	d16		620.020	d16	
619.021	d20		620.071	d20		620.021	d20	
619.022	d25		620.072	d25		620.022	d25	
619.023	d32		620.073	d32		620.023	d32	
619.024	d40		620.074	d40		620.024	d40	
619.025	d50		620.075	d50		620.025	d50	
619.026	d63		620.076	d63				
619.027	d75		620.077	d75				
	SML Systemrohre, silber, Rollen zu			FlowFit Bogen 45°, PPSU			FlowFit T-Stück egal, PPSU	
619.050	50 m / d16		620.062	d25		620.080	d16	
619.051	50 m / d20		620.063	d32		620.081	d20	
619.052	50 m / d25		620.064	d40		620.082	d25	
619.054	25 m / d32		620.065	d50		620.083	d32	
			620.066	d63		620.084	d40	
			620.067	d75		620.085	d50	
						620.086	d63	
						620.087	d75	
	SML Systemrohre, silber, mit Schutzrohr, Rollen zu			FlowFit Kupplungen, PPSU			FlowFit T-Stück red., PPSU	
619.220	50 m / d16		620.010	d16		620.121	d16-20-16	
619.221	50 m / d20		620.011	d20		620.101	d20-16-16	
			620.012	d25		620.111	d20-16-20	
			620.013	d32		620.131	d20-20-16	
			620.014	d40		620.132	d20-25-20	
			620.015	d50		620.112	d25-16-25	
			620.016	d63		620.102	d25-20-20	
			620.017	d75		620.122	d25-20-25	
						620.142	d25-25-20	
	SML Systemrohre, silber, vorisoliert, Rollen zu			FlowFit Reduktion, PVDF		620.113	d32-16-32	
619.100	50 m / d16/6, blau		620.031	d20-16		620.123	d32-20-25	
619.120	50 m / d16/10, blau		620.032	d25-16		620.133	d32-20-32	
619.140	50 m / d16/13, blau		620.033	d32-20		620.103	d32-25-25	
619.101	50 m / d20/6, blau		620.034	d32-25		620.143	d32-25-32	
619.121	50 m / d20/10, blau		620.035	d40-20		620.104	d40-20-40	
619.141	50 m / d20/13, blau		620.036	d40-25		620.114	d40-25-40	
619.102	25 m / d25/6, blau		620.037	d40-32		620.124	d40-32-40	
619.122	25 m / d25/10, blau		620.038	d50-32		620.115	d50-25-50	
619.142	25 m / d25/13, blau		620.039	d50-40		620.125	d50-32-50	
619.103	25 m / d32/6, blau		620.040	d63-40		620.105	d50-40-40	
619.123	25 m / d32/10, blau		620.041	d63-50		620.135	d50-40-50	
619.143	25 m / d32/13, blau		620.042	d75-40		620.106	d63-25-63	
			620.043	d75-50		620.116	d63-32-63	
			620.044	d75-63		620.126	d63-40-63	
						620.136	d63-50-63	
						620.107	d75-25-75	
						620.117	d75-32-75	
						620.127	d75-40-75	
						620.137	d75-50-75	
						620.147	d75-63-75	

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	FlowFit T-Stück mit IG, Rg+			FlowFit Winkel 90° mit MasterFix, PPSU			FlowFit Übergang mit IG, SiBr	
620.150	d16-1/2"-16		620.490	d16/MF20		620.410	d16-1/2"	
620.151	d20-1/2"-20		620.491	d20/MF20		620.420	d16-3/4"	
620.157	d25-1/2"-20					620.411	d20-1/2"	
620.152	d25-1/2"-25			FlowFit Übergang gerade mit MasterFix, PPSU		620.421	d20-3/4"	
620.162	d25-3/4"-25		620.290	d16/MF20		620.402	d25-3/4"	
620.153	d32-1/2"-32		620.291	d20/MF20		620.412	d25-1"	
620.163	d32-3/4"-32					620.403	d32-1"	
620.173	d32-1"-32			FlowFit Übergangs T-Stück mit MasterFix, PPSU		620.413	d32-5/4"	
620.154	d40-1/2"-40		620.380	d16/MF20/16		620.404	d40-1"	
620.164	d40-3/4"-40		620.381	d20/MF20/16		620.414	d40-5/4"	
620.174	d40-1"-40		620.391	d20/MF20/20		620.424	d40-6/4"	
620.184	d40-5/4"-40		620.382	d25/MF20/20		620.405	d50-6/4"	
620.155	d50-1/2"-50		620.392	d25/MF20/25		620.405	d50-6/4"	
620.165	d50-3/4"-50		620.780	d16/16/MF20		620.415	d50-2"	
620.175	d50-1"-50		620.781	d20/20/MF20		620.406	d63-2"	
620.185	d50-6/4"-50					620.416	d63-2 1/2"	
620.156	d63-1/2"-63					620.407	d75-2 1/2"	
620.166	d63-1"-63			FlowFit Übergang mit AG, SiBr			FlowFit Übergangsbogen mit AG, Rg+	
620.176	d63-2"-63		620.300	d16-3/8"		620.510	d16-1/2"	
620.177	d75-1"-75		620.310	d16-1/2"		620.520	d16-3/4"	
	FlowFit/Mapress Übergang, Rg+		620.320	d16-3/4"		620.511	d20-1/2"	
620.240	d16-15		620.301	d20-3/8"		620.521	d20-3/4"	
620.231	d20-15		620.311	d20-1/2"		620.502	d25-3/4"	
620.241	d20-18		620.321	d20-3/4"		620.512	d25-1"	
620.242	d20-22		620.302	d25-1/2"		620.503	d32-1"	
620.232	d25-22		620.312	d25-3/4"		620.504	d40-5/4"	
620.233	d32-28		620.322	d25-1"		620.505	d50-6/4"	
620.234	d40-35		620.303	d32-1"		620.506	d63-2"	
620.235	d50-42		620.313	d32-5/4"			FlowFit Übergangsbogen mit IG, Rg+	
620.236	d63-54		620.304	d40-1"		620.540	d16-1/2"	
	FlowFit/Mapress Übergang, Edelstahl		620.314	d40-5/4"		620.550	d16-3/4"	
620.250	d16-15		620.324	d40-6/4"		620.541	d20-1/2"	
620.251	d20-18		620.305	d50-6/4"		620.551	d20-3/4"	
620.252	d20-22		620.315	d50-2"		620.532	d25-3/4"	
620.253	d25-22		620.306	d63-2"		620.542	d25-1"	
620.254	d32-28		620.316	d63-2 1/2"		620.533	d32-1"	
620.255	d40-35		620.307	d75 2 1/2"		620.534	d40-5/4"	
620.256	d50-42					620.535	d50-6/4"	
620.257	d63-54			FlowFit Übergang mit AG, Edelstahl		620.536	d63-2"	
	FlowFit/Mepla Übergang, SiBr		619.700	d20-1/2"			FlowFit Verschraubung lösbar, SiBr	
620.090	d16-16		619.701	d25-3/4"		620.570	d16	
620.091	d20-20		619.702	d32-1"		620.571	d20	
620.092	d25-26		619.703	d40-5/4"		620.572	d25	
620.093	d32-32		619.704	d50-6/4"		620.573	d32	
620.094	d40-40		619.705	d63-2"		620.574	d40	
620.095	d50-50		619.706	d75 2 1/2"		620.575	d50	
620.096	d63-63					620.576	d63	
620.097	d75-75							

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	FlowFit Übergangverschraubung lösbar mit AG, SiBr			Flanschdichtung zu FlowFit Flansch d75			Universal Armaturenanschluss MasterFix MF1/2", Rg	
620.580	d16-1/2"		91047	PN6		602.285	L5.7, 1/2"	
620.581	d20-1/2"		91037	PN10/16		602.299	L6.6, 1/2"	
620.591	d20-3/4"			FlowFit Endstopfen für Rohrenden, SiBr		602.287	L7.3, 1/2"	
620.582	d25-3/4"		620.740	d16		602.297	L7.3, 3/4"	
620.583	d32-1"		620.741	d20			Universal-Armaturenanschluss gerade MasterFix MF1/2", Rg	
620.584	d40-5/4"		620.742	d25		602.283	L5.7, 1/2"	
620.584	d40-5/4"			FlowFit Übergang m. Klemmverschr. auf Cu-Rohr, SiBr		602.269	L6.6, 1/2"	
620.594	d40-6/4"		620.690	d16/Cu15			Schalldämm-Set, kurz zu Armaturenanschlusswinkel	
620.585	d50-6/4"		620.681	d20/Cu15		601.801		
620.595	d50-2"			FlowFit Armaturenanschlusswinkel mit IG, Rg+			Dämmunterlage zu Armaturenanschluss gerade	
620.586	d63-2"		620.760	d16-1/2", L3.6		601.802		
620.596	d63-2 1/2"		620.761	d20-1/2", L3.6			Schalldämmset zu Doppelarmaturenanschluss	
	FlowFit Übergangverschraubung lösbar mit IG, SiBr		620.810	d16-1/2", L5.2		601.805		
620.600	d16-1/2"		620.811	d20-1/2", L5.2			T-Anschlusswinkel, abgesetzt, mit MasterFix MF1/2", Rg	
620.601	d20-1/2"		620.821	d20-3/4", L5.2		602.265	MF1/2"-Rg1/2"	
620.602	d25-3/4"		620.802	d25-3/4", L5.2			T-Anschlusswinkel, gerade, mit MasterFix MF1/2", Rg	
620.603	d32-1"		620.770	d16-1/2", L7.8		602.260	MF1/2"-Rg1/2"	
620.613	d32-5/4"		620.771	d20-1/2", L7.8			Montageplatte gerade für Armaturenanschluss	
620.604	d40-5/4"			FlowFit Anschluss T-Stück mit IG, Rg+		601.737	2 Anschl, AD7.3/15.3	
620.614	d40-6/4"		620.981	d20-1/2"-20, L5.2		601.738	2 Anschl, AD10/12	
620.605	d50-6/4"			FlowFit Doppelarmaturenanschlusswinkel m. IG, Rg+		601.736	1 Anschluss	
620.615	d50-2"		620.830	d16-1/2"-16, L5.2			Montageplatte abgewinkelt f. Armaturenanschluss	
620.606	d63-2"		620.831	d16-1/2"-20, L5.2		601.732	2 Anschl, AD7.3/15.3	
	FlowFit Übergang mit Überwurfmutter, SiBr		620.841	d20-1/2"-16, L5.2		601.731	2 Anschl, AD10/12	
620.630	d16-G1/2"		620.851	d20-1/2"-20, L5.2		601.733	1 Anschluss	
620.640	d16-G3/4"		620.832	d20-1/2"-25, L5.2			FlowFit Armaturenanschluss-Set MasterFix MF1/2" lang, Rg	
620.650	d16-G1"		620.842	d25-1/2"-20, L5.2		465.034	d20-1/2"	
620.631	d20-G1/2"		620.852	d25-1/2"-25, L5.2			FlowFit Eckanschlusswinkel m. IG, Rg+	
620.641	d20-G3/4"		620.921	d20-1/2", L5.2			Abdichtscheibe zu Anschlüssen	
620.651	d20-G1"			Universal Armaturenanschluss-Set MasterFix MF1/2" lang, Rg		601.812	1/2" und 3/4"	
620.661	d20-G1 1/4"		619.616	d75, PN6			FlowFit Armaturenanschluss-Set, gedämmt AD 15,3cm	
620.622	d25-G1/2"		619.617	d75, PN10/16		619.640	d16-1/2"	
620.632	d25-G3/4"					619.651	d20-1/2"	
620.642	d25-G1"							
620.652	d25-G1 1/4"							
620.662	d25-G1 1/2"							
620.673	d25-G2"							
620.623	d32-G3/4"							
620.633	d32-G1"							
620.643	d32-G5/4"							
620.653	d32-G6/4"							
620.624	d40-G5/4"							
620.634	d40-G6/4"							
620.644	d40-G2"							
620.625	d50-G6/4"							
620.635	d50-G1 3/4"							
620.645	d50-G2"							
620.626	d63-G2"							
620.646	d63-G2 1/2"							
	FlowFit Pressflansch, SiBr							

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
 FlowFit Armaturenanschluss-Set, gedämmt, AD 10cm 619.641 d20-1/2"			 Verteiler, 2fach Euronorm 3/4", Ms 613.422 1"-3/4"			 FlowFit Fixpunktbefestigung 619.732 d25 619.733 d32 619.734 d40 619.735 d50 619.736 d63 619.737 d75		
 FlowFit Armaturenanschluss-Set, gedämmt, m. Ablaufsch., AD 15,3cm 619.681 d20-1/2"	 Kappe zu Verteiler, Ms 613.481 1"	 Rohrschelleneinlageschalen f. Gleitbefestigungen 603.702 d25 604.702 d32 605.702 d40 606.702 d50 607.702 d63 608.702 d75						
			 FlowFit Armaturenanschluss-Set Leichtbau, gedämmt, AD 15,3cm 619.671 d20-1/2"	 Stopfen zu Verteiler AG, Ms 613.480 1"	 FlowFit Schrägsitzventil, Rg+ 619.830 d16 619.831 d20 619.832 d25 619.833 d32 619.834 d40 619.835 d50			
 FlowFit Armaturenanschluss-Set, einzeln, gedämmt 619.630 d16-1/2" 619.631 d20-1/2"	 Verteilerabgang gerade zu Eurokonus 3/4", SiBr 620.330 d16-G3/4" EK 620.331 d20-G3/4" EK							
			 Armaturenanschluss-Set MasterFix MF1/2", gedämmt, AD 15,3cm 632.855 MF1/2"	 Anschlussverschraubung Euronorm 650.534 16 3/4" 651.534 20 3/4"	 FlowFit Aufputz Kugelhahn, SiBr 619.850 d16 619.851 d20 619.852 d25 619.853 d32 619.854 d40 619.855 d50			
 Armaturenanschluss-Set MasterFix MF1/2", gedämmt, einzeln 632.851 MF1/2"	 Übergang MF1/2" AG, Rg 632.007 MF1/2"-Rg1/2"							
		 FlowFit Armaturenanschlussset 619.690 16 x 1/2"	 Verteiler 3/4" mit Masterfixabgängen 1/2" 653.428 2fach 653.429 3fach	 Abpresstopfen für Rohrende (nur für Druckprobe) 653.940 d16 654.940 d20 655.940 d25 656.940 d32 657.940 d40 658.940 d50 659.940 d63				
 Ablaufroherschelle zu Armaturenanschlussplatten 601.741 d50-56	 Kappe zu Masterfix Vent 653.420							
		 Dichtbandage Butylen 601.813 3cm 601.815 5cm	 Rohrbride einfach 601.763 di16 602.763 di20 601.761 di22 602.761 di28 602.765 di32					
	 Rohrbride doppelt 602.762 di28							