









































## Silent-db20 Sortiment

Geberit Vertriebs GmbH & Co KG  
 Geberitstr. 1, 3140 Pottenbrunn/St.Pölten  
 Tel.: 02742/401-0, Fax: 02742/401-50  
 www.geberit.at

Firma:

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	<b>Silent-db20 Rohre in Stangen zu 3 m</b>			<b>Silent-db20 Abzweig 88 1/2°</b>			<b>Silent-db20 Bogen 15°</b>	
305.000	56		310.058	110/56		305.150	56	
306.000	63		310.068	110/63		306.150	63	
307.000	75		310.078	110/75		307.150	75	
308.000	90		310.088	110/90		308.150	90	
310.000	110		310.108	110/110		310.150	110	
312.000	135		312.108	135/110		312.150	135	
315.001	160		312.128	135/135		315.150	160	
			315.108	160/110				
	<b>Silent-db20 Abzweig 45°</b>			<b>Silent-db20 Bogenabzweiger 88 1/2°</b>			<b>Silent-db20 Bogen 30°</b>	
305.054	56/56		308.089	90/90		305.300	56	
306.054	63/56		310.088	110/90		306.300	63	
306.064	63/63		310.108	110/110		307.300	75	
307.054	75/56		312.109	135/110		308.300	90	
307.064	75/63					310.300	110	
307.074	75/75					312.300	135	
308.054	90/56					315.300	160	
308.064	90/63							
308.074	90/75			<b>Silent-db20 Doppelabzweiger 88 1/2°/180°</b>			<b>Silent-db20 Bogen 45°</b>	
308.084	90/90		308.082	90/90		305.450	56	
310.054	110/56		310.102	110/110		306.450	63	
310.064	110/63					307.450	75	
310.074	110/75					308.450	90	
310.084	110/90					310.450	110	
310.104	110/110					312.450	135	
312.104	135/110			<b>Silent-db20 Eckabzweiger 88 1/2°/90°</b>		315.450	160	
312.124	135/135		308.083	90/90				
315.104	160/110		310.083	110/110			<b>Silent-db20 Bogen 45° lang</b>	
	<b>Silent-db20 Abzweig 88 1/2°</b>			<b>Silent-db20 Parallelabzweiger</b>		308.014	90	
305.058	56/56		308.081	90/90		310.014	110	
306.058	63/56		310.081	110/90		312.014	135	
306.068	63/63		310.101	110/110				
307.058	75/56		310.101	110/110				
307.068	75/63						<b>Silent-db20 Bogen 67°</b>	
307.078	75/75					305.670	56	
308.058	90/56			<b>Silent-db20 Apparate Anschlusswinkel 90°</b>		307.670	75	
308.068	90/63		305.904	56/50		308.670	90	
308.078	90/75		305.905	56/56		310.670	110	
308.088	90/90		305.906	56/63				
weitere Dimensionen siehe nächste Spalte ==>								

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	<b>Silent-db20 Bogen 88 1/2°</b>			<b>Silent-db20 Schachtabzweig mit Innenradius, links</b>			<b>Silent-db20 Doppelsteck- und Fixmuffe</b>	
305.880	56	_____	310.172	110/110/75	_____	305.002	56	_____
306.880	63	_____	310.872	110/90/75	_____	306.002	63	_____
307.880	75	_____				307.002	75	_____
308.880	90	_____				308.002	90	_____
310.880	110	_____		<b>Silent-db20 Kombiabzweig</b>		310.002	110	_____
312.880	135	_____	308.811	90/90/56	_____	312.002	135	_____
			310.811	110/90/56	_____	315.002	160	_____
			310.813	110/110/56	_____		<b>Silent-db20 Langmuffe</b>	
	<b>Silent-db20 Bogen 88 1/2°</b>					307.012	75	_____
315.885	160	_____				308.012	90	_____
				<b>Silent-db20 Kombibogeneckabzweig links</b>		310.012	110	_____
			308.817	90/90/56	_____	312.012	135	_____
	<b>Silent-db20 Reduktion exzentrisch</b>		310.817	110/90/56	_____	315.012	160	_____
306.050	63/56	_____	310.117	110/110/56	_____			
307.050	75/56	_____						
307.060	75/63	_____						
308.050	90/56	_____		<b>Silent-db20 Kombibogeneckabzweig rechts</b>			<b>Silent-db20 Spannbride</b>	
308.060	90/63	_____	308.815	90/90/56	_____	305.003	56	_____
308.070	90/75	_____	310.815	110/90/56	_____	359.428	63	_____
310.050	110/56	_____	310.115	110/110/56	_____	307.003	75	_____
310.060	110/63	_____				308.003	90	_____
310.070	110/75	_____				310.003	110	_____
310.080	110/90	_____				312.003	135	_____
312.100	135/110	_____				315.003	160	_____
312.125	135/125	_____						
315.100	160/110	_____						
315.126	160/135	_____						
	<b>Silent-db20 Putzstück 88 1/2°</b>							
307.333	75	_____						
310.334	110	_____						
312.333	135	_____						
	<b>Silent-db20 Schachtabzweig mit Innenradius, rechts</b>							
310.171	110/110/75	_____						
310.871	110/90/75	_____						

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	<b>Silent-db20 Elektromuffe</b>			<b>Grundplatten-Dämmset</b>			<b>Geberit Isol Flex Rohrzuschnitt</b>	
363.771	56	_____	359.145	M10	_____	356.010	56/63	_____
364.771	63	_____	359.146	1/2"	_____	356.011	75	_____
365.771	75	_____				356.012	90	_____
366.771	90	_____		<b>Gewindestange M10</b>		356.013	110	_____
367.771	110	_____	362.836	50 cm	_____	356.014	125/135	_____
312.771	135	_____						
369.771	160	_____						
	<b>Silent-db20 Apparate-Übergangsstück</b>			<b>Silent-db20 Körperschall-Schutzschlauch, 5 mm stark, Rolle à 15 m</b>			<b>Rohrbelüftungsventil</b>	
305.040	Silent-db20/ Steckmuffe 50 _____					310.007	_____	
	<b>Silent-db20 Enddeckel</b>		305.921	56/63	_____			
305.005	56	_____	306.921	63/75	_____			
307.005	75	_____	307.921	75/90	_____			
308.005	90	_____	308.921	90/110	_____			
310.005	110	_____	310.921	110/135	_____			
312.005	135	_____	312.921	135	_____			
	<b>Silent-db20 Enddeckel</b>			<b>Silent-db20 Körperschall-Schutzbandage, 3 mm, Rolle zu 3,6 m</b>				
315.005	160 _____		300.007	_____				
	<b>Silent-db20 Universalrohrschelle mit Dämmeinlage M10/1/2"</b>			<b>Brandschutzmanschette RS90Plus EN</b>				
305.812	56	_____	348.300	40-56	_____			
306.812	63	_____	348.301	63-75	_____			
307.812	75	_____	348.302	90	_____			
308.812	90	_____	348.303	110	_____			
310.812	110	_____	348.304	125/135	_____			
312.812	125	_____	348.305	160	_____			
312.813	135	_____						
315.812	160	_____						
315.813	178	_____						
	<b>Befestigungsplatte 40 x 120 mm</b>			<b>Geberit Isol Flex Schalldämmmatte 78x118 cm</b>				
362.837	M10	_____	356.016	_____				
363.839	1/2"	_____						
362.828	1"	_____						